

PEOPLE / PRODUCT / PERFORMANCE

*Lightning Fast Service!*



**ALL CURRENT PRODUCTS**

**QUALITY ELECTRICAL FITTINGS**




**FIND IT HERE...SHIP IT NOW!**

**[WWW.ALLCURRENT.COM](http://WWW.ALLCURRENT.COM)**

CATALOG NO. 28

## Rigid C Conduit Bodies Malleable Iron for Rigid and IMC Conduit



Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
C50M	1/2"	5-3/8"	1-5/16"	1-3/8"	10	10	98
C75M	3/4"	6"	1-1/2"	1-11/16"	10	10	118
C100M	1"	7-1/16"	1-13/16"	1-7/8"	5	25	170
C125M	1 1/4"	9"	2-5/8"	2-3/4"	5	5	2210
C150M	2"	9"	2-5/8"	2-13/16"	5	5	2210
C200M	2"	11-1/2"	3-1/8"	3-5/16"	5	5	552
C250M	2 1/2"	15"	4-5/16"	3- 7/8"	1	1	1216
C300M	3"	15-1/8"	4-5/16"	4-3/4"	1	1	2210
C350M	3 1/2"	18-1/8"	4-7/8"	5-5/8"	1	1	2210
C400M	4"	18-1/8"	4-7/8"	5-5/8"	1	1	2210

Sizes 1-1/4" and above are equipped with rollers.


## Rigid LB Conduit Bodies Malleable Iron for Rigid and IMC Conduit



Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
LB50M	1/2"	4-11/16"	1-5/16"	2-1/16"	10	10	71
LB75M	3/4"	5-3/8"	1-1/2"	2-1/4"	10	10	97
LB100M	1"	6-3/16"	1-13/16"	2-5/8"	5	5	143
LB125M	1 1/4"	8-1/8"	2-5/8"	2-3/4"	5	5	287
LB150M	1 1/2"	8-1/8"	2-5/8"	2-13/16"	5	5	332
LB200M	2"	10-1/2"	3-1/8"	4-7/16"	1	1	534
LB250M	2 1/2"	13-5/8"	4-5/16"	5-3/8"	1	1	1105
LB300M	3"	13-7/8"	4-5/16"	5-7/8"	1	1	1160
LB350M	3 1/2"	16-1/4"	5-5/8"	6-7/8"	1	1	1989
LB400M	4"	16-5/8"	5-5/8"	7-3/16"	1	1	2100

Sizes 1-1/4" and above are equipped with rollers.

## Rigid LL Conduit Bodies Malleable Iron for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
LL50M	1/2"	4-11/16"	2-1/16"	1-3/8"	10	10	76
LL75M	3/4"	5-3/8"	2-1/4"	1-11/16"	10	10	95
LL100M	1"	6-3/16"	2-5/8"	1-7/8"	5	5	138
LL125M	1 1/4"	8-1/8"	2-3/4"	2-3/4"	5	5	309
LL150M	1 1/2"	8-1/8"	3-1/2"	2-13/16"	5	5	332
LL200M	2"	10-1/2"	4-1/8"	3-5/16"	1	1	497
LL250M	2 1/2"	13-5/8"	4-11/16"	3-7/8"	1	1	1105
LL300M	3"	13-7/8"	5-7/8"	4-3/4"	1	1	1437
LL350M	3 1/2"	16-1/4"	6-1/8"	5-5/8"	1	1	2321
LL400M	4"	16-1/4"	6-15/16"	5-5/8"	1	1	2431

# CONDUIT BODIES

INNOVATIVE QUALITY ELECTRICAL FITTINGS FOR THE TRADE


CONDUIT BODIES

## Rigid LR Conduit Bodies Malleable Iron for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
LR50M	1/2"	4-11/16"	2-1/16"	1-3/8"	10	10	71
LR75M	3/4"	5-3/8"	2-1/4"	1-11/16"	10	10	100
LR100M	1"	6-3/16"	2-5/8"	1-7/8"	5	5	157
LR125M	1 1/4"	8-1/8"	2-3/4"	2-3/4"	5	5	332
LR150M	1 1/2"	8-1/8"	2-13/16"	2-13/16"	5	5	345
LR200M	2"	10-1/2"	4-7/16"	3-5/16"	1	1	626
LR250M	2 1/2"	13-5/8"	5-3/8"	3-7/8"	1	1	1105
LR300M	3"	13-7/8"	5-7/8"	4-3/4"	1	1	1437
LR350M	3 1/2"	16-1/4"	6-7/8"	5-5/8"	1	1	2321
LR400M	4"	16-5/8"	7-3/16"	5-5/8"	1	1	2500

## Rigid T Conduit Bodies Malleable Iron for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
T50M	1/2"	5-3/8"	2-1/16"	1-5/16"	10	10	111
T75M	3/4"	6"	2-1/4"	1-1/2"	10	10	137
T100M	1"	7-1/16"	2-5/8"	1-13/16"	5	5	196
T125M	1 1/4"	9"	2-3/4"	2-5/8"	5	5	332
T150M	1 1/2"	9"	3-1/2"	2-5/8"	5	5	368
T200M	2"	11-1/2"	4-1/8"	3-1/8"	1	1	663
T250M	2 1/2"	15"	5-11/16"	4-5/16"	1	1	1271
T300M	3"	15-1/8"	5-7/8"	4-5/16"	1	1	1547
T350M	3 1/2"	18-1/8"	6-13/16"	4-7/8"	1	1	2542
T400M	4"	18-1/8"	7-3/16"	4-7/8"	1	1	2542

## Rigid TB Conduit Bodies Malleable Iron for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
TB50M	1/2"	5-1/4"	1-5/16"	1-5/16"	10	10	88
TB75M	3/4"	6-1/16"	1-9/16"	1-9/16"	10	10	120
TB100M	1"	7-1/8"	1-13/16"	1-13/16"	5	5	197
TB125M	1 1/4"	9-5/16"	2-7/16"	3-3/4"	5	5	343
TB150M	1 1/2"	9-5/16"	2-9/16"	3-3/4"	5	5	420
TB200M	2"	11-13/16"	3-3/16"	4-1/8"	5	5	691

## Rigid X Conduit Bodies Malleable Iron for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
X50M	1/2"	5-7/16"	2-13/16"	1-3/4"	5	5	139
X75M	3/4"	6-1/16"	2-15/16"	2"	5	5	172
X100M	1"	7-1/8"	3-9/16"	2-1/4"	2	2	247
X125M	1 1/4"	9-1/8"	4-7/16"	2-9/16"	1	1	416
X150M	1 1/2"	9-1/8"	4-7/16"	2-3/4"	1	1	463
X200M	2"	11-3/4"	5-3/8"	3-7/16"	1	1	833

## Aluminum Die Cast Threaded C Conduit Bodies for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
C50A	1/2"	4-11/16"	1-3/8"	1-5/16"	10	100	21.3
C75A	3/4"	5-1/2"	1-9/16"	1-5/8"	10	50	33.1
C100A	1"	6-7/16"	1-3/4"	1-7/8"	5	25	46.3
C125A	1-1/4"	8-5/16"	2-1/2"	2-1/2"	2	10	81.9
C150A	1-1/2"	8-3/8"	2-1/2"	2-1/2"	2	10	85.0
C200A	2"	10-5/16"	3-3/16"	3-3/8"	1	5	187.5
C250A	2-1/2"	13-1/8"	4-1/2"	4"	1	1	325.0
C300A	3"	13-3/16"	4-9/16"	4-9/16"	1	1	398.8
C350A	3-1/2"	16-1/8"	5-11/16"	5-5/8"	1	1	975.0
C400A	4"	16-1/8"	5/11/16"	5/5/8"	1	1	875.0

## Aluminum Die Cast Threaded E Conduit Bodies for Rigid and IMC Conduit



Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
E50A	1/2"	4-5/8"	1-3/8"	5/8"	1	1	29
E75A	3/4"	5-3/8"	1-5/8"	3/4"	1	1	44
E100A	1"	6-1/4"	1-7/8"	7/8"	1	1	62

## Aluminum Die Cast Threaded LB Conduit Bodies for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
LB50A	1/2"	4-5/16"	1-5/16"	2-3/16"	10	100	24.3
LB75A	3/4"	5-1/16"	1-9/16"	2-7/16"	10	50	37.2
LB100A	1"	5-7/8"	1-3/4"	2-3/4"	5	25	46.3
LB125A	1-1/4"	7-13/16"	2-1/2"	3-7/16"	2	10	97.7
LB150A	1-1/2"	7-13/16"	2/1/2"	3-7/16"	2	10	90.9
LB200A	2"	10-1/16"	3-1/8"	4-5/16"	1	5	221.6
LB250A	2-1/2"	12-13/16"	4-1/2"	5-5/16"	1	1	365.7
LB300A	3"	12-13/16"	4-1/2"	5-15/16"	1	1	429.7
LB350A	3-1/2"	15-5/8"	5-9/16"	7-1/16"	1	1	936.9
LB400A	4"	15-5/8"	5-9/16"	7-1/16"	1	1	851.4

# CONDUIT BODIES

INNOVATIVE QUALITY ELECTRICAL FITTINGS FOR THE TRADE


CONDUIT BODIES

## Aluminum Die Cast Threaded LL Conduit Bodies for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
LL50A	1/2"	4-5/16"	2-1/16"	1-3/8"	10	100	24.5
LL75A	3/4"	5-1/16"	2-1/4"	1-5/8"	10	50	36.8
LL100A	1"	5-7/8"	2-5/8"	1-7/8"	5	25	45.2
LL125A	1-1/4"	7-13/16"	3-5/8"	2-1/2"	2	10	97.9
LL150A	1-1/2"	7-13/16"	3-5/8"	2-1/2"	2	10	91.9
LL200A	2"	10-1/16"	4-7/16"	3-3/8"	1	5	245.0
LL250A	2-1/2"	12-13/16"	5-3/4"	4"	1	1	387.6
LL300A	3"	12-13/16"	5-3/4"	4-1/2"	1	1	439.2
LL350A	3-1/2"	15-5/8"	7-11/16"	5-5/8"	1	1	923.7
LL400A	4"	15-5/8"	7-11/16"	5-5/8"	1	1	881.8

## Aluminum Die Cast Threaded LR Conduit Bodies for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
LR50A	1/2"	4-5/16"	2-1/16"	1-3/8"	10	100	22.7
LR75A	3/4"	5-1/16"	2-1/4"	1-5/8"	10	50	37.5
LR100A	1"	5-7/8"	2-5/8"	1-7/8"	5	25	48.7
LR125A	1-1/4"	7-13/16"	3-5/8"	2-1/2"	2	10	98.1
LR150A	1-1/2"	7-13/16"	3-5/8"	2-1/2"	2	10	93.9
LR200A	2"	10-1/16"	4-7/16"	3-3/8"	1	5	253.5
LR250A	2-1/2"	12-13/16"	5-3/4"	4"	1	1	366.2
LR300A	3"	12-13/16"	5-3/4"	4-1/2"	1	1	406.3
LR350A	3-1/2"	15-5/8"	7-11/16"	5-5/8"	1	1	928.1
LR400A	4"	15-5/8"	7-11/16"	5-5/8"	1	1	901.7

## Aluminum Die Cast Threaded T Conduit Bodies for Rigid and IMC Conduit



Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
T50A	1/2"	4-3/4"	2-1/16"	1-3/8"	10	100	23.2
T75A	3/4"	5-9/16"	2-1/4"	1-5/8"	10	50	37.5
T100A	1"	6-7/16"	2-5/8"	1-7/8"	5	25	53.3
T125A	1-1/4"	8-1/4"	3-9/16"	2-1/2"	2	10	99.9
T150A	1-1/2"	8-3/8"	3-9/16"	2-1/2"	2	10	97.6
T200A	2"	10-11/16"	4-3/8"	3-1/8"	1	2	264.5
T250A	2-1/2"	13-1/4"	5-3/4"	4"	1	1	374.8
T300A	3"	13-1/4"	5-3/4"	4-1/2"	1	1	444.2
T350A	3-1/2"	16-1/8"	7-11/16"	5-5/8"	1	1	1146.4
T400A	4"	16-1/8"	7-11/16"	5-5/8"	1	1	1079.2

## Aluminum Die Cast Threaded X Conduit Bodies Malleable Iron for Rigid and IMC Conduit




Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
X50A	1/2"	5-15/16"	3-1/8"	1-15/16"	5	25	24
X75A	3/4"	6-9/16"	3-5/16"	2-1/4"	5	25	38
X100A	1"	7-1/2"	3-11/16"	2-7/16"	2	10	54

## Steel Conduit Body Covers



Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
K50	1/2"	3-7/8"	1-5/16"	1-1/4"	50	50	9
K75	3/4"	4-5/8"	1-1/2"	5-16"	50	50	13
K100	1"	5-5/16"	1-3/4"	5-16"	25	25	19
K125150	1-1/4-1-1/2"	7-3/16"	2-1/2"	3/8"	20	20	31
K200	2"	9-1/2"	3-3/16"	1/2"	5	5	50
K250300	2-1/2-3"	12-1/4"	4-5/16"	3/4"	5	5	94
K350400	3-1/2-4"	14-7/8"	5-5/8"	3/4"	5	5	138

## Aluminum Conduit Body Covers



Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
K50A	1/2"	3-7/8"	1-5/16"	3/16"	50	250	3
K75A	3/4"	4-11/16"	1-9/16"	1/4"	50	250	4
K100A	1"	5-3/8"	1-3/4"	1/4"	50	250	6
K125150A	1-1/4-1-1/2"	7-5/16"	2-1/2"	1/4"	50	50	12
K200A	2"	9-1/2"	3-1/8"	5/16"	25	25	19
K250300A	2-1/2-3"	12-3/16"	4-7/16"	3/8"	10	10	46
K350400A	3-1/2-4"	14-15/16"	5-1/2"	3/8"	5	5	89

## Malleable Iron Conduit Body Covers



Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
K50CM	1/2"	3-15/16"	1-5/16"	3/16"	50	100	23.4
K75CM	3/4"	4-5/8"	1-1/2"	3/16"	50	100	30.6
K100CM	1"	5-5/16"	1-3/4"	3/16"	25	100	40.6
K125150CM	1 1/4-1 1/2"	7-3/16"	2-1/2"	1/4"	20	100	91.3
K200CM	2"	9-1/2"	3-3/16"	5-16"	5	20	208.1
K250300CM	2 1/2"-3"	12-1/4"	4-5/16"	1-1/16"	5	25	358.1
K350400CM	3 1/2-4"	14-7/8"	5-5/8"	1-1/8"	5	25	550.0

# CONDUIT BODIES

INNOVATIVE QUALITY ELECTRICAL FITTINGS FOR THE TRADE

CONDUIT BODIES

## Steel Conduit Body Cover and Gasket



Part Number	Trade Size	Size			Unit Quantity	Standard Package	Weight lbs Per 100
		A	B	C			
K50G	1/2"	3-7/8"	1-5/16"	1-1/4"	50	200	9.4
K75G	3/4"	4-5/8"	1-1/2"	5-16"	50	200	12.5
K100G	1"	5-5/16"	1-3/4"	5-16"	25	150	18.8
K125150G	1-1/4-1-1/2"	7-3/16"	2-1/2"	3/8"	20	60	31.3
K200G	2"	9-1/2"	3-3/16"	1/2"	5	25	50.0
K250300G	2-1/2-3"	12-1/4"	4-5/16"	3/4"	5	20	93.8
K350400G	3-1/2-4"	14-7/8"	5-5/8"	3/4"	5	20	137.5

## Neoprene Gaskets



Part Number	Trade Size	Size		Unit Quantity	Standard Package	Weight lbs Per 100
		A	B			
GK50N	1/2"	3-7/8"	1-5/16"	100	500	3
GK75N	3/4"	4-11/16"	1-9/16"	100	250	3
GK100N	1"	5-3/8"	1-3/4"	50	250	4
GK125150N	1-1/4-1-1/2"	9-1/2"	3-1/8"	25	100	6
GK200N	2"	7-5/16"	2-1/2"	25	100	11
GK250300N	2-1/2-3"	12-1/8"	4-1/2"	20	100	13
GK350400N	3-1/2-4"	15"	5-1/2"	10	50	30